

# A Framework of Awareness for Small Groups in Shared-Workspace Groupware

Carl Gutwin<sup>1</sup>

Department of Computer Science  
University of Saskatchewan  
57 Campus Drive,  
Saskatoon, Saskatchewan, Canada  
S7N 5A9  
gutwin@cs.usask.ca

Saul Greenberg

Department of Computer Science  
University of Calgary  
2500 University Drive NW,  
Calgary, Alberta, Canada  
T2N 1N4  
saul@cpsc.ucalgary.ca

## Abstract

Supporting awareness of others is an idea that holds promise for improving the usability of real-time distributed groupware. However, there is little principled information available about awareness that can be used by groupware designers. In this article, we develop a descriptive theory of awareness for the purpose of aiding groupware design, focusing on one kind of group awareness called *workspace awareness*. We focus on how small groups perform generation and execution tasks in medium-sized shared workspaces—tasks where group members frequently shift between individual and shared activities during the work session. We have built a three-part framework that operationalizes the concept of workspace awareness and addresses three questions designers must answer when supporting awareness—what information to track, how to provide it in the interface, and when it should be made available. The framework sets out elements of knowledge that make up workspace awareness, perceptual mechanisms used to maintain awareness, and the ways that people use workspace awareness in collaboration. The framework organizes previous research on awareness and extends it to provide designers with a vocabulary and a set of ground rules for analysing work situations, for comparing awareness devices, and for explaining test results. The basic structure of the theory can be used to describe other kinds of awareness that are important to the usability of groupware.

## Keywords

Awareness, groupware design, groupware usability, real-time distributed groupware, situation awareness, shared workspaces, workspace awareness

---

<sup>1</sup> Contact author is Carl Gutwin at the address given above.

## 1. Introduction<sup>2</sup>

Awareness has recently begun to receive considerable attention in CSCW and groupware research (e.g. Dourish and Bellotti, 1992; McDaniel and Brinck 1997; Gutwin and Greenberg 1998a). Staying aware of others is something that we take for granted in the everyday world, but something that has proven to be difficult in real-time distributed systems where information resources are poor and interaction mechanisms are foreign. As a result, working together through a groupware system often seems inefficient and clumsy compared with face-to-face work. It is becoming more and more apparent that being able to stay aware of others plays an important role in the fluidity and naturalness of collaboration, and supporting awareness of others is looked on as one way of reducing the characteristic awkwardness of remote collaboration. Awareness is a design concept that holds promise for significantly improving the usability of real-time distributed groupware.

Despite this attention, no clear overall picture of awareness has yet emerged from the CSCW community. With a few exceptions, awareness support presented to date involves localized solutions to specific domain problems, and isolated approaches and principles that are difficult to generalize to other situations. Most importantly, this void means that groupware designers have little principled information available to them about how to support awareness in other domains and new systems. Faced with a blank slate for each new application, designers must reinvent awareness from their own experience of what it is, how it works, and how it is used in the task at hand.

Our goal in this article is to develop a descriptive theory of awareness for the purpose of aiding groupware design. We synthesize and organize existing research on awareness, and extend this work through a conceptual framework. Our motivation is the observation that current groupware systems are not particularly usable— and here we are more concerned with how well a system supports activities of collaboration like communication, coordination, or assistance, than we are with how well the system supports the domain task. In Salas' (1995) terms, we focus on support for teamwork rather than taskwork. Our overall research hypothesis is that helping people to stay aware in groupware workspaces will improve a groupware system's usability. While there are many other researchers who have written either directly or indirectly about awareness, our conceptual framework differs in three ways:

- it integrates and expands upon a variety of observations and previous theories of awareness;

---

<sup>2</sup> Portions of this research have been reported in earlier reports (Gutwin and Greenberg, 1996; Gutwin, Greenberg, and Roseman 1996). This article, however, is a substantial expansion of any previously published work.

- it addresses a particular type of situation— small groups working over medium sized shared workspaces; and
- it is intended to assist the iterative design of real-time distributed groupware.

We examine one kind of awareness in collaboration— called *workspace awareness* because of its intimate relationship with shared workspaces— and construct a framework that operationalizes the concept for use in groupware design. Workspace awareness is the up-to-the-moment understanding of another person's interaction with a shared workspace (Gutwin and Greenberg 1996). Workspace awareness (or *WA*) involves knowledge about where someone is working, what they are doing, and what they are going to do next. This information is useful for many of the activities of collaboration— for coordinating action, managing coupling, talking about the task, anticipating others' actions, and finding opportunities to assist one another.

Starting from recent human factors research on awareness and from Neisser's (1976) cognitive model of how awareness is maintained, our WA framework is organized around three issues:


- what kinds of information people keep track of in shared workspaces;
- how people gather workspace awareness information; and
- how people use workspace awareness information in collaboration.

These three areas directly inform three problems faced by groupware designers setting out to support awareness: what information to gather and distribute, how to present the information to the group, and when the information will be most useful. The framework provides designers with a structure to organize thinking about awareness support, a vocabulary for analysing collaborative activity and for comparing solutions, and a set of starting points for more specific design work. We do not give prescriptive rules and guidelines, however, since each groupware application will have to operate within particular awareness requirements dictated by the task and the group situation. The framework was developed iteratively over several years (e.g. see Gutwin and Greenberg 1996; Gutwin, Greenberg, and Roseman 1996, Gutwin and Greenberg 1998a) and is derived from a variety of sources:

- observations and insights of other groupware developers on issues concerning awareness (e.g. Stefik et al. 1987a; Tang 1991; Beaudouin-Lafon and Karsenty 1992; Dourish and Bellotti 1992; Dix et al 1993);
- theories developed by psychologists, linguists, ethnographers and human factors researchers on awareness (e.g. Clark 1996, Brennan 1990, Heath & Luff 1995; Endsley 1995);
- our own observational studies of face to face groups performing tasks over shared work surfaces (see Section 5);

- our own iterative development and testing of many awareness widgets and displays, where we analyzed reasons for success and failure (e.g. Gutwin and Greenberg 1996b, 1998a).

As an example of the final point, Figure 1 shows three versions of an awareness display called a radar view (e.g. Smith et al. 1998), built for the GroupKit toolkit (Roseman and Greenberg, 1996). These devices are secondary windows used with a detailed view of the shared workspace; they show miniatures of the artifacts in a shared workspace, and can also be used to show awareness information about the participants in the session. Our original radar view showed only the movement of workspace objects (Figure 1a). As we worked with the display and began setting out the workspace awareness framework, however, it became apparent that more information was required for some tasks. These experiences led to the addition of further workspace awareness information to the device: to the version in Figure 1b, we added location information with shaded viewport rectangles and miniature telepointers; to the version in Figure 1c, we added portraits for participant identification, and made the radar a fully interactive secondary workspace rather than a view-only display. The types of information and capabilities added to the radar view are directly reflected in the categories of workspace awareness information that are part of the conceptual framework (see Section 6). Our evaluations confirm that users do find the latter devices more useful for some kinds of collaborative tasks (e.g. Gutwin, Roseman, and Greenberg 1996; Gutwin and Greenberg 1998a).



**Figure 1. Three versions of the GroupKit radar view. Version 1a shows object movement only; 1b adds location information by showing each person's main view as a shaded rectangle; 1c adds photographs for participant identification.**

In this article, we explore workspace awareness and detail the three parts of the conceptual framework. To begin, we outline the concepts that underlie and bound the research, such as real-time distributed groupware, shared workspaces, and workspace awareness. Next, we give more detail on why awareness is a problem in groupware, and on the difficulty of supporting workspace awareness in a distributed

computational setting. Third, we discuss human factors research into what awareness is and how it works, research that underlies the conceptual framework. We then introduce the framework itself and work through its three parts.

## **2. Setting the scene**

There are bounds on the collaborative situations that we consider in this research. Our boundaries involve the kinds of groups we are trying to support, the workspace environment where collaboration takes place, the kinds of tasks that groups will undertake, and the kinds of groupware that will be used.

### **2.1. Systems: real-time distributed groupware**

Real-time distributed groupware systems are computer applications that allow people to work together at the same time, but from different places (e.g. Ellis et al. 1991). These systems are becoming more common as network connectivity increases and organizations move towards mobile computing, telecommuting, and distributed work teams. Although many kinds of group activity can be supported with real-time distributed groupware, we are particularly interested in applications that provide a shared workspace—applications like shared editors, group drawing programs, multiplayer games, and distributed control systems.

### **2.2. Environment: shared workspaces**

Many real-time groupware systems provide an environment for collaboration called a shared workspace, a bounded space where people can see and manipulate artifacts related to their activities. In the real world, a shared workspace is simply a physical space where people can undertake some joint activity. A countertop is a workspace where customers and clerks carry out transactions in a drugstore, and a gymnasium floor is a workspace for teams playing basketball. Workspaces can vary widely in their makeup: they can be small or large, two- or three-dimensional, connected or discontinuous. In this research, however, we concentrate on flat, medium-sized surfaces upon which objects can be placed and manipulated, and around which a small group of people can collaborate. Whiteboards, control panels, blueprints, maps, and tabletops are real-world examples of this kind of workspace.

In these spaces, the focus of the activity is on the task artifacts: the visible and manipulable objects through which the task is carried out. Examples of task artifacts include pieces on a chessboard, articles and pictures for a newspaper page, slides on a light table, notes and equations on a chalkboard, or the meters and controls on a control panel. The combination of physical space and artifacts makes a shared workspace an external representation of the joint activity (Clark, 1996; Norman, 1993; Hutchins, 1990).

### **2.3. Tasks: generation and execution**

The tasks that we are interested in are those that can be carried out through viewing and manipulating artifacts in a shared workspace. In McGrath's (1984) terms, these include *generation* and *execution* activities (rather than intellectual problem-solving or decision-making). In particular, shared workspace tasks tend to involve creation of new artifacts, navigation through a space of objects, or performance of physical manipulation on existing artifacts. Examples include activities such as construction (page layout, diagram assembly), organization (arranging, ordering, or sorting artifacts), design (drawing, generating an outline), or exploration (finding certain types of artifacts in the space).

### **2.4. Groups: small groups and mixed-focus collaboration**

Tasks in medium-sized workspaces are primarily carried out by small groups, and we are interested in groups of between two and five people. We also assume that groups engage primarily in mixed-focus collaboration, where people shift frequently between individual and shared activities during a work session (e.g. Dourish and Bellotti, 1992; Salvador et al., 1995).

These four boundaries on the system, the environment, the task, and the group rule out certain kinds of activity, such as large formal meetings and team sports, but still leave a rich variety of small-group collaboration. Typical examples could include two people organizing slides on a light table, a research group generating ideas on a whiteboard, or the managers of a project planning a timeline of project tasks. These and all the other group activities within our boundaries share a common problem when they take place in a groupware setting: it is difficult to maintain awareness of others in the workspace.

## **3. The awareness problem in groupware workspaces**

In a face-to-face workspace, awareness of one another is relatively easy to maintain, and the mechanics of collaboration are natural, spontaneous, and unforced. Unfortunately, workspace awareness is much harder to maintain in groupware workspaces than in face-to-face environments, and it is often difficult or impossible to determine who else is in the workspace, where they are working, and what they are doing. There are three main reasons why this is so.


First, the input and output devices used in groupware systems provides only a fraction of the perceptual information that is available in a face-to-face workspace—information that people use in the real world to keep track of others. Each kind of sensory information is reduced or absent from groupware: the rich visual environment of a tabletop or whiteboard is reduced to a small, two-dimensional, and low-resolution computer display; a complex auditory environment becomes at best a

few beeps and clicks; and tactile and kinesthetic information is rarely if ever used in groupware outside of the video arcades.

Second, a user's interaction with a computational workspace generates much less information than actions in a physical workspace. Much of the awareness information available in the real world comes from the direct manipulation of artifacts in the workspace, but manipulation in computer applications is decidedly less direct than in the real world. For example, consider the differences in the information generated by a person physically picking up an object and removing it from the workspace, and a groupware participant selecting an object with the mouse, and pressing the 'delete' key. The former provides a great deal more information, over a longer time period, about the action that is underway (Gutwin and Greenberg 1998b).

Third, existing groupware systems often fail to make the most of the limited awareness information that is available to the system. Since groupware workspaces are synthetic, designers must make explicit provision for any information that they make available to participants. Although many groupware systems have included various kinds of workspace awareness information, most systems provide less than what they could, and less than what groups could make use of.

These issues are illustrated in the example system shown in Figure 2. This application is a simple groupware drawing program used by two people; their shared workspace is akin to a large sheet of paper or a whiteboard. As each person draws, their actions are communicated to the other machine, so both participants' workspaces contain the same objects. At this moment in their task, the participants have scrolled their viewports to different parts of the workspace, and only a portion of their views overlap.



**Figure 2. A relaxed-WYSIWIS groupware system**

These systems show almost none of the awareness information that would be available to a group working with a physical whiteboard. People's hands and bodies are reduced to simple telepointers, there is no sound, and only a small piece of the entire drawing can be seen at one time. The experience could only be recreated in the real world by putting blinders on the group members, blocking their ears, and forcing them to stand immediately in front of and close to their part of the drawing.

In relaxed-WYSIWIS systems like this one, the awareness problem is particularly severe. When different people can scroll to different parts of the workspace (e.g. Stefik et al., 1987b), any information about where the other person is working or what they are doing can only be gathered through laborious verbal communication. Once a person loses track of their partner, collaborating with them becomes more difficult, less spontaneous, and less natural.

How can groupware designers address the awareness problem? Part of the solution is clearly to provide people with more information about their collaborators. It quickly becomes apparent, however, that attempting to completely recreate the information landscape of a real-world workspace in all its fidelity is impossible. The input and output limitations of groupware are too great to allow simple replication. If designers can only provide some of the awareness information that is present in the real world, then they must determine which information is most important, and how it can be put to best advantage in the system. Making these decisions involves the three questions stated earlier:

1. What information should be gathered from the groupware environment and distributed to the group?
2. When, and for what activities, are the different kinds of information important?
3. How should that awareness information be presented in the groupware system?

Our aim is to provide designers with the fundamentals of these three questions, and enough knowledge to let them tackle the specific awareness requirements of particular work situations and particular groupware systems. Our overall approach will be to use the principles and mechanisms of awareness as it functions in the real world. Therefore, the first step in constructing our framework involves determining more precisely what workspace awareness is, and the process by which people manage to maintain it.

#### **4. Awareness**

Although we often take it for granted, the nature of awareness is not inherently obvious. The first step to understanding workspace awareness is determining, at some level, what awareness is and how it works. In this section, we outline the primary characteristics of awareness as we will use the term, describe human-factors work in awareness that underlies workspace awareness, describe the concept of



workspace awareness in more detail, and set out a model of how awareness is maintained.

#### **4.1. Characteristics of awareness**

We follow the lead of human factors researchers who focus on awareness as knowledge created through interaction between an agent and its environment. In this sense, awareness can be simply defined as “knowing what is going on” (Endsley 1995, p. 36). This conception of awareness involves states of knowledge as well as dynamic processes of perception and action. We have identified four basic characteristics that run through prior work on awareness (e.g. Adams et al 1995; Norman 1993; Endsley 1995). These characteristics set awareness apart from other kinds of knowing, and bound the concept for the purposes of this research.

1. Awareness is knowledge about the state of some environment, a setting bounded in time and space. For example, the environment might be the airspace that an air traffic controller is responsible for, and their knowledge might include aircraft headings, altitudes, and separation, and whether these factors imply a safe or unsafe situation.
2. Environments change over time, so awareness is knowledge that must be maintained and kept up-to-date. Environments may change at different rates, but in all cases a person must continually gather new information and update what they already know.
3. People interact with the environment, and the maintenance of awareness is accomplished through this interaction. People gather information from the environment through sensory perception, and actively explore their surroundings based on the information that they pick up.
4. Awareness is almost always part of some other activity. That is, maintaining awareness is rarely the primary goal of the activity: the goal is to complete some task in the environment. For example, the air traffic controller’s task is to move aircraft through a region efficiently and safely, and although awareness may affect success, it is not the primary intent.

We have all experienced this kind of awareness. At its most basic, it is what allows us to walk around without bumping into things, but in this context we usually don’t give it a moment’s thought. As situations and environments become more complex, however, awareness becomes more noticeable. When a person takes up a new sport, for example, it often seems that the ball and the other players are moving in fast motion, and that it is impossible to keep track of everything that is going on. It is in these situations, where information demands sometimes outstrip our ability to take them in, that awareness has been recognized and studied. The human factors community calls it *situation awareness*, or *SA* (e.g. Gilson 1995).

## 4.2. Situation awareness (SA)

Research into awareness as we describe it above originated in the study of military aviation, where pilots interact with highly dynamic, information-rich environments. Returning fighter pilots would often talk of their awareness during a skirmish, of having been ‘one step ahead of the aircraft’ or, on a bad day, of having felt like everything was moving too quickly to control. These experiences came to be known in the military community as having had ‘good SA’ or ‘bad SA.’ In recent years, researchers have expanded their focus to other environments where situation awareness plays a major role, such as commercial aviation (Sarter and Woods, 1995), air traffic control (Smith and Hancock 1995), and anesthesiology (Gaba and Howard 1995). These contexts all share the characteristics of “dynamism, complexity, high information load, variable workload, and risk” (Gaba and Howard 1995).

The human factors community has not settled on a single definition of situation awareness, but most researchers include aspects of product— knowledge that an actor can make use of, and process— how that knowledge is created through interaction with the environment. A good general definition of SA is as “the up-to-the minute cognizance required to operate or maintain a system” (Adams et al 1995, p.85). Endsley (1995) focuses more on the process, proposing a three stage definition:

Level 1: *perception of relevant elements of the environment.* An actor must first be able to gather perceptual information from the environment, and be able to selectively attend to those elements that are most relevant for the task at hand.

Level 2: *comprehension of those elements.* An actor must be able to integrate the incoming perceptual information with existing knowledge, and make sense of the information in light of the current situation.


Level 3: *prediction of the states of those elements in the near future.* To perform well in a situation, an actor must also be able to anticipate changes to the environment and be able to predict how incoming information will change.

We use this background in SA to guide our conception of workspace awareness. The characteristics of awareness as introduced above also apply to workspace awareness: it is knowledge of a dynamic environment, it is maintained through perceptual information gathered from the environment, and it is peripheral (although not inconsequential) to the primary group activity. We view workspace awareness as a specialization of situation awareness, one that is tied to the specific setting of the shared workspace. Furthermore, Endsley’s three levels provide us with a focus for our research into workspace awareness. In groupware, we must be primarily concerned with the first and second levels: first, the main cause of the awareness problem discussed above is the lack of useful information about others in the workspace; second, if information is available, we must also consider whether the designer has provided it in a way that is easily comprehensible.

### 4.3. Workspace awareness

We define workspace awareness as the up-to-the-moment understanding of another person's interaction with the shared workspace. Our definition is derived from that of Adams et al. (1995) as discussed above, and bounds workspace awareness in two ways. First, workspace awareness is awareness of people and how they interact with the workspace, rather than awareness of the workspace itself. Therefore, it does not explicitly involve knowledge of the artifacts on their own (although this knowledge is clearly essential to workspace awareness). Second, workspace awareness is limited to events happening in the workspace; it is therefore restricted to being 'inside' the temporal and physical bounds of the task that the group is carrying out. This means that workspace awareness differs from informal awareness of who is around and available for collaboration, and from awareness of cues and turns in verbal conversation, both of which have been studied previously in CSCW (e.g. Borning and Travers 1991; Dourish and Bly 1992; Greenberg 1996) and linguistics (e.g. Clark 1996; Goodwin 1981).

The shared workspace setting makes workspace awareness a specialized kind of situation awareness. When someone works alone in a workspace, their activities and their SA involve only the workspace and the domain task (see Figure 3). In a collaborative situation, however, people must undertake another task, that of collaboration, and therefore their situation awareness must involve both the domain and the collaboration. The SA that involves collaborating in a shared workspace is what we call workspace awareness.



**Figure 3. Domain and collaboration tasks**

A second apparent difference between workspace awareness and situation awareness is that collaborating in most shared workspaces often does not involve high information load or extreme dynamism<sup>3</sup>. That is, it is not generally difficult to

---


<sup>3</sup> However, these qualities could easily be part of collaborative work: for example, in a fast-paced multiplayer video game.

maintain workspace awareness in the real world: sorting slides on a table does not seem very similar to air combat in a jet fighter. However, the two types of situations do share an important characteristic, that people are unable to gather the information that they need from the environment. In the jet aircraft, the information load exceeds the pilot's ability to take it all in. In the slide-sorting task, although the participants' perception would normally be perfectly adequate, a groupware system has artificially reduced their abilities to gather awareness information.

This means that the problems of maintaining WA in groupware revolve around obtaining useful information, rather than around what people make of the information. In the situations that SA research currently studies, problems can occur at any of Endsley's three levels: people can fail to gather important information from the environment, but they may also fail to understand what that information means to the activity, or may fail to predict what that information means for future events. In contrast, we believe that workspace awareness problems occur primarily at Endsley's first and second levels. People's perception is artificially hampered by the technological constraints of a groupware system, and they are unable to properly gather the information that they need to properly maintain awareness. The designer's task and our conceptual framework concentrate on these two levels: on determining what information to present, and on presenting that information so that people can maintain awareness easily and naturally.

#### **4.4. Maintaining awareness**

Understanding how people maintain awareness is crucial if we are to design systems that support workspace awareness. Adams et al (1995) suggest a cognitive model that shows how awareness is maintained in dynamic environments, a model that also draws together the process and product aspects of different definitions of SA. The model is Neisser's (1976) perception-action cycle, a "cognitive framework for the interdependence of memory, perception, and action" (Adams et al 1995, p. 88). Neisser's model, shown in Figure 4, captures some of the interaction between the agent and the environment, and incorporates relationships between a person's knowledge and their information-gathering activity. It differs from linear models of information processing by recognizing that perception is influenced and directed by existing knowledge. This knowledge "effectively directs exploratory movements and increases receptivity to particular aspects and interpretations of the available information" (p. 88).



**Figure 4. The perception-action cycle (Neisser 1976)**

Awareness of an environment is created and sustained through the perception-action cycle. When a person enters an environment to do a particular task, they bring with them a general understanding of the situation and a basic idea of what to look for. The information that they then pick up from the environment can be interpreted in light of existing knowledge to help the person determine the current state of the environment— that is, what is happening— and also help them to predict what will happen next. These expectations lead to a further refinement in perceptual sensitivity, as when the expectation of seeing another aircraft sensitizes a pilot to subtle variations in the visual field (Adams et al 1995, p. 89). This sensitization is essentially the idea of selective attention, as described in 1890 by William James:

A faint tap per se is not an interesting sound; it may well escape being discriminated from the general rumor of the world. But when it is a signal, as that of a lover on the window-pane, it will hardly go unperceived (James 1981, p. 418).

The perception-action cycle combines both product and process aspects of awareness. Product is captured by the active knowledge created by previous cycles, and process is captured by the movement around the cycle. In our view, the three relationships in Neisser’s cycle (sampling the environment, modifying knowledge, directing exploration) also correspond to Endsley’s levels of perception, comprehension, and prediction. As we mentioned above, problems with workspace awareness in groupware are concentrated in the perceptual phases of the cycle; as a result, the conceptual framework deals most strongly with issues of what information people gather from the environment, and how they gather it.

To summarize thus far, Neisser’s cycle and the research into situation awareness provide us with a strong foundation for a conceptual framework of workspace

awareness. We have established that workspace awareness is a specialization of SA, where the 'situation' is well-defined— others' interactions with a shared workspace. Workspace awareness is maintained through a perception-action cycle, in which WA knowledge both directs, and is updated by, perceptual exploration of the workspace environment. Finally, the primary problem in maintaining WA in distributed settings is that groupware technology limits what people can perceive of others in the workspace, hindering their ability to gather WA information from the environment. We now turn to conceptual framework itself. We first describe a set of small observational studies used to investigate ideas in the framework, and then discuss each of the framework's three component parts in turn. Part one involves the types of information that make up WA, Part two involves the mechanisms people use to gather WA information, and Part three involves the ways that people use WA information in collaboration. The contents of the framework come from existing research in CSCW, HCI, and human factors, and from our own observations both of simple tabletop tasks and of real world group work in offices and control rooms.

## **5. Observational studies used in the conceptual framework**

We observed several groups performing simple tasks in physical shared workspaces, in order to gather basic information about the uses and mechanisms of workspace awareness, and to gain first-hand experience with phenomena described in research literature. Findings from these studies contribute to the structure and content of the conceptual framework. The studies were informal and varied widely in task, group structure, setting, and realism; in some cases, we even participated as part of the group. We did not consistently employ one particular methodology, but in all cases we observed the collaboration and recorded our observations. In some sessions, the collaboration was videotaped for later review.

Below, we introduce each session to give an idea of the settings and the tasks that were observed. The first five tasks were completed in a laboratory setting, and the final two were visits to real work environments. In the laboratory tasks, people were allowed to organize their collaboration however they saw fit. All of the laboratory tasks were made-up activities, while the two real work visits involved people's normal work activities.

*Blocks and puzzles.* We began our observations by asking people to complete simple tabletop tasks with one of us as a partner. Three people each completed three different tasks. The first task was a jigsaw puzzle, the second was a puzzle with pentominoes pieces, and in the third, we built a house out of toy blocks. All three tasks were carried out at an ordinary table. These tasks took approximately 10 minutes each to complete.

*String.* Three dyads were asked to measure the distance between several pairs of points on a whiteboard, using a long piece of string as a measuring tool. The points

were far enough apart that each person had to hold one end of the string. The participants did the task in two settings: first, in front of a normal whiteboard, and second, with a divider that prevented them from seeing one another's work areas. The tasks took about 20 minutes in total.

*Cathedral.* Two pairs completed a more complicated construction task, that of building a two-dimensional plan of a cathedral using a variety of cardboard pieces. The task included constraints (such as keeping the colours symmetrical) to encourage more interaction between the two participants. The task took place on a large table, and participants were allowed to move where they wished around the workspace. The cathedral task took about 40 minutes to complete.

*Concept map.* Three pairs were asked to complete a half-finished concept map using a written paragraph as their guide to the entities and relationships in the map. Again, the materials were paper and pencils, and the workspace was a large table. Pairs had to organize a set of existing objects and relations, and then add to the diagram until the paragraph was fully represented by the map. The concept map tasks took people about 50 minutes to finish.

*Newspaper layout.* Nine pairs completed a newspaper layout task. Groups were asked to put together a two-page spread of a fictional newspaper, using paper articles, pictures, and headlines supplied to them. Groups were allowed to lay out the pages as they wished, as long as the paper had a roughly consistent style. These tasks required about 40 minutes. Results of this study were reported in (Gutwin, Roseman, and Greenberg 1996).

*Newsroom.* A visit to the student newspaper offices on production day was one of two observations of real work situations. We spent approximately six hours in the production room of the Gauntlet, the University of Calgary student newspaper, watching activities that ranged from story composition to page layout. In the part of the office we observed, five writers and two editors worked on the paper.

*Air traffic control.* The second real work situation that we visited was the air traffic control centre at the Calgary airport. We spent about four hours observing three collaborating controllers who supervise the airspace in a 35-mile radius around Calgary. A controller is in charge of one of three stations: commercial arrivals, commercial departures, or small private aircraft that operate under visual flight rules. Controllers sit in front of large radar screens that show all flight activity within an adjustable radius from the airport. Therefore, controllers see one another's aircraft on their screens. The controllers interact with each other, with the tower operators who supervise takeoffs and landings, and with regional controllers who supervise the airspace beyond the 35-mile radius. A typical high-level task for the arrivals controller, for example, would be to accept an aircraft from the regional controllers, guide it into its final approach, and hand it off to the tower controllers (*cf.* Heath and Luff 1992).

## **6. Framework Part one: What information makes up workspace awareness?**

Workspace awareness is made up of many kinds of knowledge, and the first part of the framework divides the concept into components. This part of the framework gives designers a basic idea of what information to capture and distribute in a groupware system. Even though a person can keep track of many things in a shared workspace, elements from a basic set make repeated appearances in research literature (e.g. Dourish and Bellotti 1992; Sohlenkamp and Chwelos 1994; McDaniel and Brinck 1997). The basic set is the elements that answer “who, what, where, when, and how” questions. That is, when we work with others in a shared space, we know who we are working with, what they are doing, where they are working, when various events happen, and how those events occur. People keep track of these things in all kinds of collaborative work, and these are the kinds of information that should be considered first by designers.

Within these basic categories, we have identified specific elements of knowledge that make up the core of workspace awareness. Tables 1 and 2 show these elements and list the questions that each element can answer. Table 1 contains those elements that relate to the present, and Table 2 those that relate to the past. The elements are all commonsense things that deal with interactions between a person and the environment. Awareness of presence and identity is simply the knowledge that there are others in the workspace and who they are, and authorship involves the mapping between an action and the person carrying it out. Awareness of actions and intentions is the understanding of what another person is doing, either in detail or at a general level. Awareness of artifact means knowledge about what object a person is working on. Location, gaze, and view relate to where the person is working, where they are looking, and what they can see. Awareness of reach involves understanding the area of the workspace where a person can change things, since sometimes a person’s reach can exceed their view.

Awareness of the past involves several additional elements. Action and artifact history concern the details of events that have already occurred, and event history concerns the timing of when things happened. The remaining three elements deal with the historical side of presence, location, and action. We do not include elements relating to the future in our framework, because designers are unlikely to be able to support maintenance of those elements. This is because past and present information can be determined from raw perceptual information, whereas belief about the future involve inference, extrapolation, and prediction.

Workspace awareness knowledge will be made up of these elements in some combination, and participants in a face-to-face group activity will generally know the basic elements (consciously or unconsciously). This does not mean, however, that the designer should support all elements equally in the interface. Two factors are



critical in determining how the designer should treat each element. First, the degree of interaction between the participants in the activity indicates how specific or general the information in the interface should be. Second, the dynamism of the element— how often the information changes— indicates how often the interface will need to be updated. In some situations, certain elements never change, and so do not require explicit support in the interface. For example, if the participants in an activity are always the same, there is no need for the system to gather and distribute detailed presence information.

Category	Element	Specific questions
Who	Presence	Is anyone in the workspace?
	Identity	Who is participating? Who is that?
	Authorship	Who is doing that?
What	Action	What are they doing?
	Intention	What goal is that action part of?
	Artifact	What object are they working on?
Where	Location	Where are they working?
	Gaze	Where are they looking?
	View	Where can they see?
	Reach	Where can they reach?

**Table 1. Elements of workspace awareness relating to the present**

Category	Element	Specific questions
How	Action history	How did that operation happen?
	Artifact history	How did this artifact come to be in this state?
When	Event history	When did that event happen?
Who (past)	Presence history	Who was here, and when?
Where (past)	Location history	Where has a person been?
What (past)	Action history	What has a person been doing?

**Table 2. Elements of workspace awareness relating to the past**

Although there will also be additional kinds of information specific to the task or the work setting, these basic elements provide a high-level organization of workspace awareness. The elements are a starting point for thinking about the awareness requirements of particular task situations, and provide a vocabulary for describing and comparing awareness support in groupware applications.

## **7. Framework Part two: How is workspace awareness information gathered?**

The groupware designer must attempt to present awareness information in ways that make the maintenance of workspace awareness simple and straightforward. We believe that this will be easier if people can gather information in familiar ways, even though the actual interface devices in a groupware system may not be familiar. This means understanding the mechanisms people use to gather workspace awareness information from the workspace environment— basically, how people find the answers to the who, what, where, when, and how questions listed in Tables 1 and 2. In this section, we outline some of the ways that people find those answers.

Prior research suggests three main sources of workspace awareness information, and three corresponding mechanisms that people use to gather it (Segal 1994; Norman 1993; Dix et al 1993; Hutchins 1990). People obtain information that is produced by people's bodies in the workspace, from workspace artifacts, and from conversations and gestures. The mechanisms that they use to gather it are called consequential communication, feedthrough, and intentional communication.

### **7.1. Bodies and consequential communication**

The first information source is the other person's body in the workspace (e.g. Segal 1994; Norman 1993). Since most things that people do in a workspace are done through some bodily action, the position, posture, and movement of heads, arms, eyes, and hands provide a wealth of information about what's going on. Therefore, watching other people work is a primary mechanism for gathering awareness information: "whenever activity is visible, it becomes an essential part of the flow of information fundamental for creating and sustaining teamwork" (Segal 1994, p. 24). Although people also contribute to the auditory environment, much of the perception of a body in a workspace is visual. In all of the tabletop tasks that we observed, for example, participants would regularly turn their heads to watch their partners work.

The mechanism of seeing and hearing other people active in the workspace is called *consequential communication*: information transfer that emerges as a consequence of a person's activity within an environment (Segal 1994). This kind of bodily communication, however, is not intentional in the way that explicit gestures are (see below): the producer of the information does not intentionally undertake actions to inform the other person, and the perceiver merely picks up what is available. Nevertheless, consequential communication provides a great deal of information. In a study of piloting teams, Segal reports that "[Pilots] spent most of their time— over 60%— looking across at their [partner's] display while it was being manipulated. This suggests that beyond the information provided by the display itself, these pilots were specifically looking for information provided by the dynamic interaction between

their crewmembers and that display” (p. 24). This study also suggests that movement is particularly important in consequential communication, since our attention is naturally drawn to motion. An example is given by Norman (1993), who relates the value of “obvious actions” in aircraft cockpits:

When the captain reaches across the cockpit over to the first officer’s side and lowers the landing-gear lever, the motion is obvious: the first officer can see it even without paying conscious attention. The motion not only controls the landing gear, but just as important, it acts as a natural communication between the two pilots, letting both know the action has been done. (p. 142)

## **7.2. Artifacts and feedthrough**

The artifacts in the workspace are a second source of awareness information (e.g. Dix et al 1993; Gaver 1991). Artifacts provide several sorts of visual information: they are physical objects, they form spatial relationships to other objects, they contain visual symbols like words, pictures, and numbers, and their states are often shown in their physical representation. Artifacts also contribute to the acoustic environment, making characteristic sounds when they are created, destroyed, moved, stacked, divided, or manipulated in other ways (Gaver 1991). Tools in particular have signature sounds, such as the snip of scissors or the scratch of a pencil. By seeing or hearing the ways that an artifact changes, it is often possible to determine what is being done to it.

This mechanism is feedthrough (Dix et al 1993): when artifacts are manipulated, they give off information, and what would normally be feedback to the person performing the action can also inform others who are watching. When both the artifact and the actor can be seen, feedthrough is coupled with consequential communication; at other times, there may be a spatial or temporal separation between the artifact and the actor, leaving feedthrough as the only vehicle for information. In the Calgary air traffic control centre, for example, the departures controller cannot monitor all of the arrival controller’s actions, but can see the status of arriving aircraft on their display change from “approaching” to “landed.” When they see this change in the artifact, they can also infer the activities of the arrivals controller.

## **7.3. Conversation, gesture, and intentional communication**

A third source of information that is ubiquitous in collaboration is conversation and gesture, and their mechanism is intentional communication (e.g. Clark 1996; Heath and Luff 1995). Verbal conversations are the prevalent form of communication in most groups, and there are three ways in which awareness information can be picked up from verbal exchanges. First, people may explicitly talk about awareness elements with their partners, and simply state where they are working and what they are doing.

Our observations of shared-workspace tasks suggest that these direct discussions happen primarily when someone asks a specific question such as “what are you doing?” or when the group is planning or replanning the division of labour.

Second, people can gather awareness information by overhearing others’ conversations. Although a conversation between two people may not explicitly include a third person, it is understood that the exchange is public information that others can pick up. For example, navigation teams on navy ships talk on an open circuit, which means that everyone can hear each others’ conversations. Hutchins (1990) details how members of the team listen in on these conversations, either to monitor the actions of a junior member, or to learn from more experienced members.

Third, people can pick up others’ verbal shadowing, the running commentary that people commonly produce alongside their actions, spoken to no one in particular. This behaviour, which we observed in all tasks where people worked over the same objects, provides others with awareness information without requiring people to enter into a conversation. Heath and Luff (1995) also observed this behaviour, which they call “outlouds.” They note that although these “outlouds... might be thought relatively incursive, potentially interrupting activities being undertaken by [others] in the room, [they are] perhaps less obtrusive than actually informing particular persons” (p. 157).

The style of verbal shadowing can be explicit or highly indirect. In the newspaper-layout task, participants regularly stated exactly what they were doing, saying things like “I’m going to cut this article,” or “I’ll move this over here.” In other work situations like the London Underground (Heath and Luff 1992), controllers talk more to themselves and use oblique references like curses or song phrases, but are nevertheless able to convey information to others in the control room.

Gestures and other visual actions can also be used to carry out intentional communication. These differ from consequential communication in that they are intended, and are often used alongside verbal productions. Short, Williams, and Christie (1976) note two forms of visual communication used to convey task information. First is illustration, where speech is illustrated, acted out, or emphasized. For example, people often illustrate distances by showing a gap between fingers or hands. The second form is the emblem, where words are replaced by actions: for example, a nod or shake of the head indicates ‘yes’ or ‘no’ (p. 45). These types of gestures have also been observed in CSCW studies (e.g. Ishii and Kobayashi 1992, Tang 1991).

## **8. Framework Part three: How is workspace awareness used in collaboration?**

A groupware designer needs to know the situations and activities where workspace awareness will be used, to better analyze collaborative tasks and to better determine when groupware support is called for. Workspace awareness is used for many things in collaboration. Awareness can reduce effort, increase efficiency, and reduce errors for the activities of collaboration. This section describes five types of activity, reported in literature and seen in our observational studies, that are aided by workspace awareness (e.g. Tatar et al 1991; Clark 1996; Tang 1991; Salvador et al 1996). These provide a basic set of collaborative activities that designers can look for as they analyse work situations. The five activities are: management of coupling, simplification of verbal communication, coordination, anticipation, and assistance.

### **8.1. Management of coupling**

Several researchers have recognized that when people collaborate, they shift back and forth between individual and shared work, and that awareness of others is important for managing these transitions. For example, Dourish and Bellotti (1992) observed that people involved in a shared editing task “continually moved between concurrent, but more or less independent, work... to very tightly focused group consideration of single items. These movements were opportunistic and unpredictable, relying on awareness of the state of the rest of the group” (p. 111). Gaver (1991) adds that “people shift from working alone to working together, even when joined on a shared task. Building systems that support these transitions is important, if difficult” (p. 295).

Salvador et al (1996) call the degree to which people are working together coupling. In general terms, coupling is the amount of work that one person can do before they require discussion, instruction, action, information, or consultation with another person. Some of the reasons that people may move from loose to tight coupling are that they see an opportunity to collaborate, that they need to come together to discuss or decide something, that they need to plan their next activity, or that they have reached a stage of their task that requires another person’s involvement. A sense of awareness about what another person is doing makes each of these situations more feasible, by allowing people to recognize when tighter coupling could be appropriate.

For example, in a financial dealing office, dealers manage coupling by carefully monitoring their colleagues’ activities (Heath and Luff 1995):

... though dealers may be engaged in an individual task, they remain sensitive to the conduct of colleagues and the possibility of collaboration... ‘Peripheral’ monitoring or participation is an essential feature of both individual and collaborative work within these environments. ( p. 156)

So, for example, it is not unusual in the dealing room for individuals to time, with precision, an utterance which engenders collaboration, so that it coincides with a colleague finishing writing out a ticket or swallowing a mouthful of lunch. By monitoring the course of action in this way and by prospectively identifying its upcoming boundaries, individuals can successfully initiate collaboration so that it does not interrupt an activity in which a colleague is engaged. (p. 152)

Although these examples deal with a wider environment than a flat shared workspace, the idea is the same— that people keep track of others' activities when they are working in a loosely coupled manner, for the express purpose of determining appropriate times to initiate closer coupling. Without workspace awareness information, people will miss opportunities to collaborate, and will often interrupt the other person inappropriately.

## **8.2. Simplification of communication**

Workspace awareness lets people use the workspace and the artifacts in it to simplify their verbal communication and make it more efficient. When discussion involves task artifacts, the workspace can be used as an external representation of the task that allows efficient nonverbal communication (Hutchins 1990; Clark 1996). That is, the artifacts act as conversational props (Brinck and Gomez 1992) that let people mix verbal and visual communication. Workspace awareness is important because interpreting the visual signals depends on knowledge of where in the workspace they occur, what objects they relate to, and what the sender is doing. The nonverbal actions simplify dialogue by reducing the length and complexity of utterances. Four kinds of these communicative actions have been previously observed in studies of face-to-face collaboration: deictic reference, demonstration, manifesting actions, and visual evidence.

*Deictic references.* Referential communication involves composing a message that will allow another person to choose a thing from a set of objects (Krauss and Fussell 1990). When transcripts of a collaborative activity are reviewed, however, many of these messages are almost unintelligible without knowledge of what was going on in the workspace at the time. For example, consider a fragment from the pentominoes puzzle task:

A: How about this thing... <points to diagram>... the tail? The only thing that can be is..

B: <holds up a piece> No, not that.

B: <holds up another piece> This thing? It could be that thing <points to diagram>...

A: Yeah, could be that thing..

A: <holds up another piece> Could be that thing..

The verbal communication does not convey what people are pointing at or indicating when they say “this,” “that,” “here,” or “there.” The practice of pointing or gesturing to indicate a noun used in conversation is called deictic reference, and is ubiquitous in shared workspaces (e.g. Segal 1995; Tatar et al 1991; Tang 1991). For example, in a flight simulation experiment with two pilots, Segal (1994) found that many of the transcribed utterances could not be interpreted without reference to a videotape of the cockpit displays. Deictic reference is a crucial part of the way we communicate in a shared space. As Seely Brown and colleagues (1989) state:

Perhaps the best way to discover the importance and efficiency of indexical terms and their embedding context is to imagine discourse without them. Authors of a collaborative work will recognize the problem if they have ever discussed the paper over the phone. “What you say here” is not a very useful remark. Here in this setting needs an elaborate description (such as “page 3, second full paragraph, fifth sentence, beginning...”) and can often lead to conversations at cross purposes. The problem gets harder in conferences calls when *you* becomes as ambiguous as *here*... The contents of a shared environment make a central contribution to conversation. (p. 36)

*Demonstrations.* In addition to gestures used to illustrate conversation (e.g. Clark 1996), people use gestures in workspaces to demonstrate actions or the behaviour of artifacts. As Tang (1989) states, “ideas are often enacted gesturally in order to express them effectively to others, especially if they involve a dynamic sequence of actions” (p. 76). Common demonstrations include tracing a path in the workspace with a finger or illustrating how an artifact operates. For example, Tang (1989) observed a participant in a design session turning her hand over to demonstrate how a card would flip back and forth (p. 76).

*Manifesting actions.* Actions in the workspace can also replace verbal communication entirely. When people replace an explicit verbal utterance with an action in the shared workspace, they are performing a manifesting action (Clark, 1996). Placing my groceries on the counter tells the clerk “I wish to purchase these items” without me having to say so. However, manifesting actions must be carried out carefully to prevent them being mistaken as ordinary actions: the action must be stylized, exaggerated, or conspicuous enough that the “listener” will not mistake it (Clark, p. 169). Therefore, I must place my groceries on the counter in such a way that the clerk realizes I am making a purchase request and not just resting my arms.

*Visual evidence.* When people converse, they require evidence that their utterances have been understood. In verbal communication, a common form of this evidence is back-channel feedback. In shared workspaces, however, visual actions can also provide evidence of understanding or misunderstanding. Clark (1996) provides an

example from an everyday setting, where Ben is getting Charlotte to center a candlestick in a display:

Ben: Okay, now, push it farther— farther— a little more— right there.  
Good. (p. 326)

Charlotte moves the candlestick after each of Ben's utterances, providing visual evidence that she has understood his instructions and has carried them out to the best of her interpretation. This kind of evidence can be used whenever people carry out joint projects involving the artifacts in a shared workspace.

The success of these four kinds of nonverbal communication depends on two aspects of workspace awareness. First, and most obvious, the communicative action must be perceived before it can be understood; if the action is invisible, it is impossible to interpret. For example, if I cannot see that you are pointing, or what you are pointing at, I cannot ground your deictic reference. Second, the receiver needs to have an idea of the workspace context in which the visible actions occur, since the meaning of the action may be ambiguous without certain information. For example, if there are several green blocks in the workspace, seeing only that you are pointing to a green block may not be enough information to correctly ground the reference. Or, if you hand me an object in a way that appears to be a request, I may need knowledge of your current activities before I can determine your expectations.

The important thing here is that the sender has to understand what the receiver can see in order to construct useful non-verbal communications. This means that workspace awareness (or perhaps meta-awareness) is part of conversational common ground in a shared workspace. Common ground is the mutual knowledge that people take advantage of to increase their communicative efficiency (Clark 1996). The principle of least collaborative effort (Clark and Brennan 1991) suggests that people expend only the minimum effort in composing an utterance that they believe is necessary for their message to get across to the hearer. If they can exploit common ground, they can reduce the work that goes into communication. Without common ground, people must do more work to compose exact, complete, and literal utterances. Workspace awareness as common ground means that people can further simplify their communication even without visual productions. They do this by assuming that the other person's awareness will help them correctly interpret highly underspecified utterances. For example, if I believe that you know where I am and what I'm working on, I can say something like "do you think that it will fit?" instead of "do you think that the smaller of the two arches will fit at the top of the tower that's at the right side of the picture?," a much more complicated and exact utterance.



### 8.3. Coordination of actions

Coordinating actions in a collaborative activity means making them happen in the right order, at the right time, and generally, making them meet the constraints of the task. Coordination is necessary at several levels of granularity, from small hand movements to large-scale divisions of labour. In addition, certain kinds of joint activities require the concerted action of two people. For example, the string task required that one person anchor their end of the string, and then that the other mark the distance, in that order.

Coordination can be accomplished in two ways in a shared workspace: “one is by explicit communication about how the work is to be performed... another is less explicit, mediated by the shared material used in the work process” (Robinson 1991, p. 42). This second, less explicit way uses workspace awareness. Awareness aids both fine and coarse-grained coordination, since it informs participants about the temporal and spatial boundaries of others’ actions, and since it helps them fit the next action into the stream. Workspace awareness is particularly evident in continuous action where people are working with the same objects. For example, CSCW researchers have noted that concurrency locks are less important or even unnecessary when participants have adequate information about what objects others are currently using; when the awareness information is available, people can use social protocols to coordinate access to objects (Greenberg and Marwood 1994). Another example is the way that people manage to avoid bumping into each others’ hands in a confined space. Tang (1989) saw this kind of coordination in design activity:

the physical closeness among the participants... allows a peripheral awareness of the other participants and their actions, as evidenced in the many ‘coordinated dances’ observed among the hands of the collaborators in the workspace. There were many episodes of intricate coordinated hand motions, such as getting out of the way of an approaching hand or avoiding collisions with other hands. These coordinated actions indicate a keen peripheral awareness of the other participants... (p. 95)

Workspace awareness is also useful in the coordination and division of labour and in the planning and replanning of the activity. As the task progresses, groups regularly reorganize what each person will do next. These decisions depend in part on elements of workspace awareness— what the other participants have done, what they are still going to do, and what is left to do in the task. Based on another person’s activities, I may decide to begin a complementary task, to assist them with their job, or to move to a different area of the workspace to avoid a conflict. It may be more efficient to have the members of the group do work that is near in proximity or in nature to what they are currently doing or have done in the past. Knowing activities and locations, therefore, can help in determining who should do what task next. The

cathedral task provides a concrete example: the structure was symmetric, and people would regularly choose to do the symmetrical complement to their partner's action immediately after they had completed it.

#### **8.4. Anticipation**

Another common behaviour in collaboration is anticipation, where people take action based on their expectations or predictions of what others will do in the future. People anticipate others in several ways. They can prepare for their next action in a concerted activity, they can avoid conflicts, or they can provide materials, resources, or tools before they are needed.

Anticipation is based on prediction, and people can predict workspace actions at both small and large time scales. First, people can predict some types of events by extrapolating forward from the immediate past. For example, if I see someone reaching towards a pair of scissors, I might predict that they are going to grab them. This prediction allows me to anticipate the event: I might pick up the scissors and pass them to the reacher, I might replan my own movements to avoid a collision, or I might reach for them myself to grab them before the other person gets them. This kind of anticipation is integral to the fine-grained coordination discussed above. Although ordinary, anticipation is difficult without workspace awareness—in the scissors example, without up-to-the-moment knowledge of where the other person's hand is moving, and of their location in relation to the scissors. In addition to this information, my prediction could have also taken into account other workspace awareness knowledge, such as their current activities and whether they were doing something that required scissors.

When prediction happens at a larger time scale, people learn which elements of situations and tasks are repeated and invariant. People are experts at recognizing patterns in events, and quickly begin to predict what will come next in situations that they have been in before. Workspace awareness is again important, but this time provides people with the information they need to determine whether others' behaviour or current workspace events match the patterns that they have learned. For example, in air traffic control, regional controllers hand flights off to the Calgary controllers when they come within 35 miles of the city. The transfer is done entirely through the shared workspace. The regional controller tags the aircraft's icon, and the Calgary controller must acknowledge the handoff by pressing a command key while their trackball cursor is overtop the aircraft. This handoff procedure is done for each flight, so the controllers are extremely familiar with it. Accordingly, the Calgary controllers anticipate the handoff, based on the information available in the workspace and their experience of what the regional controllers do in this situation. When a Calgary controller sees an incoming aircraft appear on the edge of the radar screen, they will often move their cursor over the aircraft, waiting for the handoff indicator from the regional controller to appear.

## 8.5. Assistance

Assisting others with their local tasks is an integral part of collaboration, and one that also benefits from workspace awareness. Assistance was extremely common in the observed tasks, but not usually explicit. Often, one participant would make some indirect statement indicating that they wanted assistance, and their partner would look over and leave their tasks for a few moments to help out, and then return to what they were doing. For example, one participant was unable to find a piece that she needed for the cathedral task, and so indirectly asked her partner for assistance:

A: Do you have another one of these guys here? <holds up piece>

B: They're, uh, red?

A: Yeah.

B: Yep, there's one... <hands piece to A>

People were also able to provide assistance without a prior request. In the same task, one participant simply reached over and placed a piece for the other:

A: Oh, and I found another triangle thing for you... here. <places piece>

Awareness in these situations is useful because it helps people determine what assistance is required and what is appropriate. In order to assist someone with their tasks, you need to know what they are doing, what their goals are, what stage they are at in their tasks, and the state of their work area. In the second example above, the helper knew what their partner had already completed; in particular, that she had not yet found all of the needed "triangle things," and that adding one to the cathedral would be beneficial.


This section has outlined five kinds of collaborative activity that are aided by greater workspace awareness. Groupware designers can use this part of the framework in two ways: first, as an analysis tool to help them determine the degree of awareness support that is needed for a particular work situation (since different collaborative situations involve these activities in different amounts); and second, as a guide to determining where in the interface that awareness support should be provided (since different parts of the interface will provide for different kinds of collaborative activity). We now turn to a summary of the three parts of the conceptual framework.

## 9. Summary of the workspace awareness framework

Workspace awareness is the up-to-the-moment understanding of another person's interaction with the shared workspace. The conceptual framework sets out basic issues that designers need to consider when building workspace awareness support into groupware systems. The framework describes three aspects of workspace awareness: its component elements, the mechanisms used to maintain it, and its uses in collaboration. These parts correspond to three tasks that the groupware designer

must undertake in supporting workspace awareness: understand what information to provide, determine how the knowledge will be gathered, and determine when and where the knowledge will be used. The framework is illustrated in Figure 5, overlaid on Neisser’s original perception-action cycle. In addition, we add a new link to the cycle (action) to indicate that people take action based on their knowledge as well as exploring the environment.

The elements of workspace awareness answer who, where, when, how, and what questions. They deal with issues like who is present and who is responsible for actions, where people are working and where they can see, and what actions they are performing and what their intentions are. Other elements of workspace awareness considers awareness of history and past events. The elements are a starting point for thinking about the awareness requirements of particular task situations, and provide a vocabulary for describing and comparing awareness support in groupware applications.



**Figure 5. The workspace awareness framework**

Workspace awareness is maintained through a perception-action cycle in which people gather perceptual information from the environment, integrate it with what they already know, and use it to look for more information in the workspace. Information is gathered primarily through three mechanisms. First, the presence and movement of hands and bodies in the workspace provide consequential communication. Second, movement and changes to artifacts in the workspace provides feedthrough information. Third, information is gathered through intentional communication, which can be either verbal or gestural. People are already familiar with these three ways of gathering workspace awareness information, from their experiences in face-to-face workspaces. In groupware, designers can simplify information-gathering by using these mechanisms in their awareness displays, even though the displays themselves will likely bear little resemblance to face-to-face environments.

Workspace awareness is useful for making collaborative interaction more efficient, less effortful, and less error-prone. There are several activities of collaboration where the benefits of workspace awareness are evident: in helping people to recognize opportunities for closer coupling, in reducing the effort needed for verbal communication, in simplifying coordination, in allowing people to act in anticipation of others, and in providing context for appropriate help and assistance. Designers can use this part of the framework as an analysis tool to help them determine the awareness support that is needed for a particular work situation, and as a guide to determining where in the interface that awareness support should be provided.

The role of the framework in the groupware design process is not as a prescriptive design guide, but rather as a structured collection of knowledge that can assist the iterative development of awareness support. The framework identifies three steps that designers should undertake— think about what information to provide, what perceptual mechanisms to use to convey the information, and when and where in the interface to provide the information— and provides a set of alternatives and possibilities for each step.

The knowledge in the conceptual framework will allow designers to build more usable groupware, and this knowledge has not previously been available to groupware designers in one place. However, workspace awareness is only one type of group awareness, and the knowledge in our framework must be used along with other tools. For example, another model of awareness in collaborative virtual environments is the focus/nimbus model (e.g. Benford et al 1995, Rodden 1996). The model offers a way to determine what the level of awareness *should* be for two actors in a shared space. The actors' physical location and the distance between them are two important factors in the model, and states an inverse relationship between distance and awareness— the farther you are from someone, the less aware you should be of them. In addition, the model incorporates the possibility that actors can affect their own degree of awareness: these capabilities are represented in the

concepts of *focus* and *nimbus*. The focus/nimbus model is concerned with large spaces that can contain many people, and hence the focus on determining how much awareness information should be provided. Our framework, in contrast, is oriented towards small groups in medium-sized workspaces where it is more likely that participants are always interested in maintaining awareness of all the members of the group. Therefore, we see the focus/nimbus model as a higher-level complement to our framework. The two models can work together in environments where people can work together at both a large and a small scale— the focus/nimbus model would operate in the large, and the workspace awareness model in the small.

## 10. Conclusion

In this paper we have presented a descriptive theory of awareness for small groups in shared-workspace groupware. Our motivation for the research is that although the idea of group awareness shows great promise for improving groupware usability, groupware designers do not have access to principled information about how to support it in their interfaces. Our goal, therefore, was to provide developers with useful knowledge about how to design for awareness in multi-user systems, and in particular, how to design for one kind of awareness called workspace awareness. The main structure of the descriptive theory is a framework of workspace awareness that operationalizes the concept and that guides designers through the three steps that they must consider in the design process. The framework is based on sound psychological principles of what awareness is and how people maintain it in dynamic environments. The framework can both educate designers about the importance of awareness in groupware and help to improve the quality of the systems that are built.

We believe that the foundations and basic structure of the framework can be used to characterize and describe other types of awareness that affect distributed group work. First, the perception-action cycle is a general model that can be used to explain how people keep track of a wide variety of information in a collaborative situation. Second, the three design issues of what information to present, how to present it, and where and when to present it apply equally well to supporting (for example) informal awareness and conversational awareness in groupware. Since workspace awareness is not independent of these other types, a more comprehensive theory that integrates several different aspects of group awareness is needed. Extending the framework is one of our current ongoing projects. Other current work includes assessing the effects of awareness support on groupware usability (Gutwin and Greenberg 1998a) and developing new awareness displays and devices (Gutwin and Greenberg 1998b).

## Acknowledgements

This research was supported in part by the Natural Sciences and Engineering Research Council of Canada, and by Intel Corporation.

## References

- Adams, M., Tenney, Y., and Pew, R., Situation Awareness and the Cognitive Management of Complex Systems, *Human Factors*, 37(1), 85-104, 1995.
- Beaudouin-Lafon, M., and Karsenty, A., Transparency and Awareness in a Real-Time Groupware System, *Proceedings of the Conference on User Interface and Software Technology*, Monterey, CA, 1992, 171-180.
- Benford, S., Bowers, J., Fahlen, L., Greenhalgh, C., and Snowdon, D., User Embodiment in Collaborative Virtual Environments, *Proceedings of the Conference on Human Factors in Computing Systems (CHI'95)*, 1995, 242-249.
- Borning, A., and Travers, M., Two Approaches to Casual Interaction over Computer and Video Networks, *Proceedings of the Conference on Human Factors in Computing Systems*, New Orleans, LA, 1991, 13-19.
- Brennan, S., *Seeking and Providing Evidence for Mutual Understanding* Ph.D. thesis, Stanford University, Stanford, CA, 1990.
- Brinck, T., and Gomez, L. M., A collaborative medium for the support of conversational props, *Proceedings of Proceedings of the ACM Conference on Computer Supported Cooperative Work (CSCW'92)*, Toronto, Ontario, 1992, 171-178.
- Clark, H., *Using Language*, Cambridge University Press, Cambridge, 1996.
- Clark, H. H., and Brennan, S. E., Grounding in Communication, in *Readings in Groupware and Computer Supported Cooperative Work: Assisting Human-Human Collaboration*, R. M. Baecker ed., 222-233, Morgan-Kaufmann Publishers, Mountain View, CA, 1991.
- Dix, A., Finlay, J., Abowd, G., and Beale, R., *Human-Computer Interaction*, Prentice Hall, 1993.
- Dourish, P., and Bellotti, V., Awareness and Coordination in Shared Workspaces, *Proceedings of the Conference on Computer-Supported Cooperative Work*, Toronto, 1992, 107-114.
- Dourish, P., and Bly, S., Portholes: Supporting Awareness in a Distributed Work Group, *Proceedings of the Conference on Human Factors in Computing Systems*, Monterey, CA, 1992, 541-547.
- Ellis, C., Gibbs, S., and Rein, G., Groupware: Some Issues and Experiences, *Communications of the ACM*, 34(1), 38-58, 1991.

- Endsley, M., Toward a Theory of Situation Awareness in Dynamic Systems, *Human Factors*, 37(1), 32-64, 1995.
- Gaba, D., Howard, S., and Small, S., Situation Awareness in Anesthesiology, *Human Factors*, 37(1), 20-31, 1995.
- Gaver, W., Sound Support for Collaboration, *Proceedings of the Second European Conference on Computer Supported Cooperative Work*, 1991, 293-308.
- Gilson, R. D., Introduction to the Special Issue on Situation Awareness, *Human Factors*, 37(1), 3-4, 1995.
- Goodwin, C., *Conversational Organization: Interaction Between Speakers and Hearers*, Academic Press, New York, 1981.
- Greenberg, S., Peepholes: Low Cost Awareness of One's Community, *Proceedings of the Conference on Human Factors in Computing Systems (Conference Companion)*, Vancouver, 1996, 206-207.
- Greenberg, S., and Marwood, D., Real Time Groupware as a Distributed System: Concurrency Control and its Effect on the Interface, *Proceedings of the Conference on Computer-Supported Cooperative Work*, Chapel Hill NC, 1994, 207-217.
- Gutwin, C., and Greenberg, S., Workspace Awareness for Groupware, *Proceedings of the Conference on Human Factors in Computing Systems*, Vancouver, 208-209, 1996.
- Gutwin, C., Greenberg, S. and Roseman, M. Workspace Awareness in Real-Time Distributed Groupware: Framework, Widgets, and Evaluation. People and Computers XI (Proceedings of HCI '96), Springer-Verlag, 281-298, 1996.
- Gutwin, C., Roseman, M., and Greenberg, S., A Usability Study of Awareness Widgets in a Shared Workspace Groupware System, *Proceedings of the Conference on Computer-Supported Cooperative Work*, Boston, 1996, 258-267.
- Gutwin, C., and Greenberg, S. Effects of Awareness Support on Groupware Usability. *Proceedings of ACM CHI'98*, Los Angeles, ACM Press, 1998a.
- Gutwin, C. and Greenberg, S. Design for Individuals, Design for Groups: Tradeoffs between power and workspace awareness. *Proceedings of ACM CSCW'98*, Seattle, ACM Press, 1998b.
- Heath, C., Jirotko, M., Luff, P., and Hindmarsh, J., Unpacking Collaboration: the Interactional Organisation of Trading in a City Dealing Room, *Computer Supported Cooperative Work*, 3(2), 147-165, 1995.
- Heath, C., and Luff, P., Collaboration and Control: Crisis Management and Multimedia Technology in London Underground Line Control Rooms., *Computer-Supported Cooperative Work*, 1(1-2), 69-94, 1992.



- Hutchins, E., The Technology of Team Navigation, in *Intellectual Teamwork: Social and Technological Foundations of Cooperative Work*, J. Galegher, R. Kraut and C. Egido ed., 191-220, Lawrence Erlbaum, Hillsdale, NJ, 1990.
- Ishii, H., and Kobayashi, M., ClearBoard: A Seamless Medium for Shared Drawing and Conversation with Eye Contact, *Proceedings of the Conference on Human Factors in Computing Systems*, Monterey, CA, 1992, 525-532.
- James, W., *The Principles of Psychology*, Harvard University Press, Cambridge, Mass., 1981 (written 1890).
- Krauss, R., and Fussell, S., Mutual Knowledge and Communicative Effectiveness, in *Intellectual Teamwork: Social and Technological Foundations of Cooperative Work*, J. Galegher, R. Kraut and C. Egido ed., 111-145, Lawrence Erlbaum, Hillsdale, NJ, 1990.
- McDaniel, S. E. and Brinck, T., Awareness in Collaborative Systems. Workshop Report. *SIGCHI Bulletin*. October 1997.
- McGrath, J., *Groups: Interaction and Performance*, Prentice-Hall, Englewood Cliffs NJ, 1984.
- Neisser, U., *Cognition and Reality*, W.H. Freeman, San Fransisco, 1976.
- Norman, D., *Things That Make Us Smart*, Addison-Wesley, Reading, Mass., 1993.
- Robinson, M., Computer-Supported Cooperative Work: Cases and Concepts, *Proceedings of Groupware '91*, 1991, 59-75.
- Rodden, T. Populating the Application: A Model of Awareness for Cooperative Applications, *Proceedings of ACM CSCW'96 Conference on Computer-Supported Cooperative Work 1996* p.87-96.
- Roseman, M., and Greenberg, S., Building Real-Time Groupware with GroupKit, a Groupware Toolkit, *Transactions on Computer-Human Interaction*, 3(1), 66-106, 1996.
- Salas, E., Prince, C., Baker, D., and Shrestha, L., Situation Awareness in Team Performance: Implications for Measurement and Training, *Human Factors*, 37(1), 123-136, 1995.
- Salvador, T., Scholtz, J., and Larson, J., The Denver Model for Groupware Design, *SIGCHI Bulletin*, 28(1), 52-58, 1996.
- Sarter, N., and Woods, D., How in the World Did We Ever Get into That Mode? Mode Error and Awareness in Supervisory Control, *Human Factors*, 37(1), 5-19, 1995.
- Seely Brown, J., Collins, A., and Duguid, P., Situated Cognition and the Culture of Learning, *Educational Researcher*(January-February), 32-42, 1989.

- Segal, L., Effects of Checklist Interface on Non-Verbal Crew Communications, NASA Ames Research Center, Contractor Report 177639, 1994.
- Segal, L., Designing Team Workstations: The Choreography of Teamwork, in *Local Applications of the Ecological Approach to Human-Machine Systems*, P. Hancock, J. Flach, J. Caird and K. Vicente ed., 392-415, Lawrence Erlbaum, Hillsdale, NJ, 1995.
- Short, J., Williams, E., and Christie, B., Communication Modes and Task Performance, in *Readings in Groupware and Computer Supported Cooperative Work: Assisting Human-Human Collaboration*, R. M. Baecker ed., 169-176, Morgan-Kaufmann Publishers, Mountain View, CA, 1976.
- Smith, K., and Hancock, P., Situation Awareness is Adaptive, Externally Directed Consciousness, *Human Factors*, 37(1), 137-148, 1995.
- Smith, R., Hixon, R., and Horan, B. Supporting Flexible Roles in a Shared Space *Proceedings of ACM CSCW'98 Conference on Computer-Supported Cooperative Work* pp.197-206, 1998.
- Sohlenkamp, M. and Chwelos, G., Integrating Communication, Cooperation and Awareness: The DIVA Virtual Office Environment, *Proceedings of ACM CSCW'94 Conference on Computer-Supported Cooperative Work* 1994, p.331-343.
- Stefik, M., Foster, G., Bobrow, D., Kahn, K., Lanning, S., and Suchman, L., Beyond the Chalkboard: Computer Support for Collaboration and Problem Solving in Meetings, *Communications of the ACM*, 30(1), 32-47, 1987a.
- Stefik, M., Bobrow, D., Foster, G., Lanning, S., and Tatar, D., WYSIWIS Revised: Early Experiences with Multiuser Interfaces, *ACM Transactions on Office Information Systems*, 5(2), 147-167, 1987b.
- Tang, J., *Listing, Drawing and Gesturing in Design: A Study of the Use of Shared Workspaces by Design Teams*, Ph.D. thesis, Stanford University, Stanford, CA, 1989.
- Tang, J., Findings from Observational Studies of Collaborative Work, *International Journal of Man-Machine Studies*, 34(2), 143-160, 1991.
- Tatar, D., Foster, G., and Bobrow, D., Design for Conversation: Lessons from Cognoter, *International Journal of Man-Machine Studies*, 34(2), 185-210, 1991.